

# ORDER RESPONSE GUIDELINE



MediaMarktSaturn 2022

**MediaMarktSaturn**  
Retail Group

# Introduction

On the following pages we show some of the possible scenarios for order confirmation via EDI (ORDRSP).

Please Note: This Guideline is only an addition for our ORDRSP Message Implementation Guide (MIG), not a replacement!

- Basic requirements: Qualifiers 83, 113 and 217 are used in the EDI message for the quantity information.
  - 83 Backorder quantity
  - 113 Quantity to be delivered
  - 217 Out of Inventory quantity
- For a backorder quantity where the expected delivery date is unknown, Qualifier 83 with the date 01.01.2099 must be used.
- For backorder quantity where the possible delivery date is known, the Qualifier 113 with the corresponding date must be used!
- If there are more than one responses for one order, the base for the ORDRSP is always the initial order!
- The complete line-item must always be provided, even if only a partial delivery/rejection takes place.

As a starting point for all examples, we assume the following order:

One purchase order with one position, quantity 100 pieces, desired delivery date 01.11.2021.

## Scenario 1: The complete position is canceled, because the item is no longer available

In this case we expect an item line with qualifier 217, quantity 100, delivery date from the purchase order.

Edifact extract:

LIN+10+3+1234567890123:SRV'

PIA+1+08154711:IN+987654:SA'

IMD+A++:::Something'

IMD+C++:::90:More'

QTY+217:100:PCE'

DTM+17:20211101:102'

PRI+AAA:123.45:::1:PCE'

RFF+LI:10'

## Scenario 2: Partial delivery, the rest of the position is canceled

In this case we expect two item lines in the ORDRSP.

One with qualifier 113, deliverable quantity, delivery date and one with qualifier 217, non-deliverable quantity, delivery date from the purchase order.

Edifact extract:

LIN+10+3+1234567890123:SRV'

PIA+1+08154711:IN+987654:SA'

IMD+A++:::Something'

IMD+C++::90:More'

QTY+113:70:PCE'

DTM+17:20211115:102'

PRI+AAA:123.45:::1:PCE'

RFF+LI:10'

LIN+20+1+1234567890123:SRV'

PIA+1+08154711:IN+987654:SA'

IMD+A++:::Something'

IMD+C++::90:More'

QTY+217:30:PCE'

DTM+17:20211101:102'

PRI+AAA:123.45:::1:PCE'

RFF+LI:10'

### Scenario 3: Full confirmation in 2 partial deliveries with different date

In this case, we expect two positions in the ORDRSP.

Edifact extract:

LIN+10+3+1234567890123:SRV'

PIA+1+08154711:IN+987654:SA'

IMD+A++:::Something'

IMD+C++::90:More'

QTY+113:70:PCE'

DTM+17:20211115:102'

PRI+AAA:123.45:::1:PCE'

RFF+LI:10'

LIN+20+1+1234567890123:SRV'

PIA+1+08154711:IN+987654:SA'

IMD+A++:::Something'

IMD+C++::90:More'

QTY+113:30:PCE'

DTM+17:20211122:102'

PRI+AAA:123.45:::1:PCE'

RFF+LI:10'

## Scenario 4a: Partial confirmation in 1st ORDRSP, full confirmation with different delivery dates in a 2nd ORDRSP.

In this case, we expect two positions per ORDRSP.

1. ORDRSP (directly after the order)

One item line with qualifier 113, quantity deliverable, delivery date and one with qualifier 83, quantity in backlog, date unknown.

2. ORDRSP (sent **after** the first partial delivery) <sup>(1)</sup>

One item line with qualifier 113, deliverable quantity, delivery date (Identical to 1st ORDRSP) and one with qualifier 113, deliverable quantity, delivery date.

ORDRSP 1, Edifact extract	ORDRSP 2, Edifact extract
LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+83:30:PCE' DTM+17:20990101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'	LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:30:PCE' DTM+17:20211122:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'

(1) If several ORDRSP are sent for one order, please note that the complete order item must always be represented, even if a partial delivery is already in the past.

## Scenario 4b: Partial confirmation in 1st ORDRSP, full confirmation with different delivery dates in a 2nd ORDRSP.

In this case, we expect two positions per ORDRSP.

1. ORDRSP (directly after the order)

One item line with qualifier 113, quantity deliverable, delivery date and one with qualifier 83, quantity in backlog, date unknown.

2. ORDRSP (will be sent a few days later, **before** the first partial delivery). <sup>(1)</sup>

One item line with qualifier 113, deliverable quantity, delivery date (Identical to 1st ORDRSP) and one with qualifier 113, deliverable quantity, delivery date.

ORDRSP 1, Edifact extract	ORDRSP 2, Edifact extract
LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+83:30:PCE' DTM+17:20990101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'	LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:30:PCE' DTM+17:20211115:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'

(1) If several ORDRSP are sent for one order, please note that the complete order item must always be represented, even if a partial delivery is already in the past.

## Scenario 4c: Partial confirmation in 1st ORDRSP, full confirmation with same delivery date in a 2nd ORDRSP.

In this case, we expect two positions per ORDRSP.

1. ORDRSP (directly after the order)

One item line with qualifier 113, quantity deliverable, delivery date and one with qualifier 83, quantity in backlog, date unknown.

2. ORDRSP (will be sent a few days later, before the first partial delivery). <sup>(1)</sup>

One item line with qualifier 113, deliverable quantity, delivery date (Identical to 1st ORDRSP) and one with qualifier 113, deliverable quantity, delivery date.

ORDRSP 1, Edifact extract	ORDRSP 2, Edifact extract
LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+83:30:PCE' DTM+17:20990101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'	LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:30:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'

(1) If several ORDRSP are sent for one order, please note that the complete order item must always be represented, even if a partial delivery is already in the past.



## Scenario 4d: Partial confirmation in the 1st ORDRSP, cancellation of the backlog in a 2nd ORDRSP.

In this case, we expect two positions per ORDRSP.

### 1. ORDRSP

One item line with qualifier 113, quantity deliverable, delivery date and one with qualifier 83, quantity in backlog, date unknown.

### 2. ORDRSP <sup>(1)</sup>

One item line with qualifier 113, deliverable quantity, delivery date and one with qualifier 217, cancelled quantity, delivery date from the purchase order.

ORDRSP 1, Edifact extract	ORDRSP 2, Edifact extract
LIN+10+3+1234567890123:SRV'	LIN+10+3+1234567890123:SRV'
PIA+1+08154711:IN+987654:SA'	PIA+1+08154711:IN+987654:SA'
IMD+A++:::Something'	IMD+A++:::Something'
IMD+C++:::90:More'	IMD+C++:::90:More'
QTY+113:70:PCE'	QTY+113:70:PCE'
DTM+17:20211115:102'	DTM+17:20211115:102'
PRI+AAA:123.45:::1:PCE'	PRI+AAA:123.45:::1:PCE'
RFF+LI:10'	RFF+LI:10'
LIN+20+1+1234567890123:SRV'	LIN+20+1+1234567890123:SRV'
PIA+1+08154711:IN+987654:SA'	PIA+1+08154711:IN+987654:SA'
IMD+A++:::Something'	IMD+A++:::Something'
IMD+C++:::90:More'	IMD+C++:::90:More'
QTY+83:30:PCE'	QTY+217:30:PCE'
DTM+17:20990101:102'	DTM+17:20211101:102'
PRI+AAA:123.45:::1:PCE'	PRI+AAA:123.45:::1:PCE'
RFF+LI:10'	RFF+LI:10'

(1) If several ORDRSP are sent for one order, please note that the complete order item must always be represented, even if a partial delivery is already in the past.

## Scenario 4e: Partial confirmation in the 1st ORDRSP, cancellation of the backlog in a 2nd ORDRSP, Change of delivery date.

In this case, we expect two positions per ORDRSP.

### 1. ORDRSP

One item line with qualifier 113, quantity deliverable, delivery date and one with qualifier 83, quantity in backlog, date unknown.

### 2. ORDRSP <sup>(1)</sup>

One item line with qualifier 113, deliverable quantity, changed delivery date and one with qualifier 217, cancelled quantity, delivery date from the purchase order.

ORDRSP 1, Edifact extract	ORDRSP 2, Edifact extract
LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+17:20211115:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+83:30:PCE' DTM+17:20990101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'	LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:70:PCE' DTM+69:20211115:102' DTM+17:20211122:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10' LIN+20+1+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+217:30:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'

(1) If several ORDRSP are sent for one order, please note that the complete order item must always be represented, even if a partial delivery is already in the past.

## Scenario 5: Full confirmation in 1st ORDRSP, full confirmation with different delivery date in a 2nd ORDRSP.

In this case, we expect one position per ORDRSP.

1. ORDRSP (directly after the order)

One item line with qualifier 113, quantity deliverable, delivery date.

2. ORDRSP (sent **after** the first partial delivery) <sup>(1)</sup>

One item line with qualifier 113, deliverable quantity, changed delivery date.

ORDRSP 1, Edifact extract	ORDRSP 2, Edifact extract
LIN+10+5+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:100:PCE' DTM+17:20211101:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'	LIN+10+3+1234567890123:SRV' PIA+1+08154711:IN+987654:SA' IMD+A++:::Something' IMD+C++:::90:More' QTY+113:100:PCE' DTM+69:20211101:102' DTM+17:20211122:102' PRI+AAA:123.45:::1:PCE' RFF+LI:10'

(1) If several ORDRSP are sent for one order, please note that the complete order item must always be represented, even if a partial delivery is already in the past.